



**In re the Application of STEPHEN C. JACOBSON et al.**  
**Application No. 10/668,930**  
**Docket No. 1875-0326.2**


application on the merits.

In the Notice, the LIE Examiner also indicated that the amendment to the drawings submitted on February 2, 2004 must be properly labeled. This requirement appears to be improper because no amendment of the drawings was submitted in the response filed on February 2, 2004, or at any other time since the filing date of this application. The drawing sheet submitted with the response of February 2, 2004 was included in support of the explanation to the OIPE Examiner that Figures 5A and 5B as originally filed were in compliance with the requirements of 37 CFR 1.84(u). Because the Applicants' did not amend either Figure 5A or Figure 5B in the paper filed on February 2, 2004, there is no need to label the copy of those drawing figures as new or as a replacement sheet. Accordingly, the requirement for such labeling should be withdrawn.

Should the LIE Examiner have a question about the remarks presented above, the Applicants' undersigned attorney may be contacted by phone or e-mail.

Respectfully submitted,

DANN, DORFMAN, HERRELL AND SKILLMAN  
A Professional Corporation  
Attorneys for Applicant(s)

By   
VINCENT T. PACE  
PTO Registration No. 31,049

January 14, 2005

Enclosures  
Tel: 215-563-4100  
Fax: 215-563-4044  
email: [vpac@ddhs.com](mailto:vpac@ddhs.com)